



VERIFICATOR/EXPERT VERIFICATOR/EXPERT	NUME	SEMNATURA	CERINTA	REFERAT/EXPERTIZA NR./DATA	
				Proiect: Extindere Gradinita	Proiect nr. /2016
Clasa de expunere a betonului: 1a C16/20-T3-II/A-S32,5R/0-31 PC 52; OB 37; OL37		Beneficiar: Str..... loc. Selimbar, jud Sibiu		FAZA DTAC	
Clasa de expunere a betonului: 1a C12/15-T3-II/A-S32,5R/0-31 PC 52; OB 37; OL37		Scara:		Plansa 03. R	
Categ importanta a cladirii: III		Sef proiect		DETALII FUNDATII	
Gradul de protectie antisismic: 7		Proiectat			
Zona Seismica:D(a _g = 0.16g, Tc = 0.7s)		Desenat			

Clasa de expunere a betonului: 1a
C16/20-T3-II/A-S32,5R/0-31
PC 52; OB 37; OL37
Clasa de expunere a betonului: 1a
C12/15-T3-II/A-S32,5R/0-31
PC 52; OB 37; OL37
Categ importanta a cladirii: III
Gradul de protectie antisismic: 7
Zona Seismica:D(a_g =0.16g,Tc=0.7s)